
Vintage Iron, Inductors, and Transformers List

Version: 2011_1204_1420

--> <http://www.magnetosphere.net>

1 **NOTE: Item numbers good only for this version of Catalog. May change when new sheet published!**

2 Unless otherwise stated, items are used and may be a few decades old

3 Items are tested for shorts between windings and to case

4 Items, being vintage, may have cosmetic or physical appearance issues. These have not been made in a long time. We can only guarantee what is stated.

5 Buyers are welcome to ask for pictures or other services before purchase. No shipping will be paid or be refunded on returns for any reason.

6 See terms at <http://www.magnetosphere.net> for more information

* Section 1: Special Items Magnetics

* Section 2: Inductors

* Section 3: Transformers

Patrick Jankowiak KD5OEI
Dallas, Texas

Special Items

Version: 2011_1204_1420

<http://www.magnetosphere.net>
NOTE: Item numbers good only for this version of Catalog. May change when new sheet published!

item #	make	origin	model	loc/box	iron type	function	pri.	sec	sec	sec	sec	place	comment	comment	comment	Price
S001	Superior	USA	10B	13	"variac"	power	120	0-120	0-132			power	with knob	1.75A	one sec voltage or the other	\$12
S002	UTC	USA	BMI-100	02	filter	audio	10000	Grid				audio interstage	1:2 voltage gain @ 100Hz, -2dB @ 97Hz and 103Hz, 40dB/octave (for EQ) cap couple from plate to next grid http://www.bunkerofdoom.com/xfm/UTC_1951/UTC51PART.pdf	CQ61 FR4RX22YY		\$10
S003	UTC	USA	E-8051	02	filter	audio						audio interstage	GE 9712479	400Hz filter in CG can		\$10
S004	Foster Transformer Co.	USA	56D139	06	filter	audio	6000	1000K				audio interstage	output bandpasses 475, 3000, 755, 1900 Hz	4 OUTPUT BANDS		\$10
S005	Johnson	USA	LPF	06	filter	audio						audio interstage	Johnson Viking Valiant audio filter original item	51-SN	P3754	\$25
S006	UTC	USA	D-7759	06	filter	audio	line	grid				audio interstage	AF filter, 10V input, in 1.25" dia. Can	3H +0.066uF C	cap input to L to GND	\$15
S007	UTC	USA	D-7759	06	filter	audio	line	grid				audio interstage	AF filter, 10V input, in 1.25" dia. Can	3H +0.066uF C	cap input to L to GND	\$15
S008	UTC	USA	D-7759	CH1	filter	audio	line	grid				audio interstage	AF filter, 10V input, in 1.25" dia. Can	3H +0.066uF C	cap input to L to GND	\$15
S009	Western Union	USA	108-B	CH2	filter	audio	0.82 H	20 DCR				audio	parallel circuit of L and 2uF capacitor	MFG by Ferranti		\$5
S010	Kenyon	USA	677-0149-00-L	02	hybrid phone patch	audio	900	600 + 600				audio phone patch	hermetic steel soldered monolithic military can line 900 600 to rec 600 from tx NOS	+15dBm +/-0.5dB 200-4000Hz Hipot 300V	TF1RX16YY	\$20
S011	OEM	USA		09	multiple filters	audio						audio filter	voice unit from electronic organ, 6 chokes and many paper caps in enclosed chassis box. EI cores with mounting feet			\$10

Inductors

Version: 2011_1204_1420

<http://www.magnetosphere.net>

NOTE: Item numbers good only for this version of Catalog. May change when new sheet published!

Unless otherwise stated, it should be assumed the chokes are for the customary medium voltage range of 200-500VDC as found in receivers and audio equipment.

item #	make	origin	model	loc/box	Inductance (H)	Current (A)	Resistance (Ohms)	place	comment	Price
L001	Chicago Motorola	USA	17072 225C1008	CH2	0.06	1.4	1.3	power	hash filter 28V	\$5
L002	Collins	USA	668-0016-00	CH1	0.37		4.1	power	EI core	\$5
L003	Galvin	USA	25 B 31297-B	CH1	6.3		150	power	7J42 CH5	\$10
L004	Industrial Transformer Co.	USA	CK-1112	CH1	10	0.075	265	power	3C316, grade A class 1, SC 7587A	\$15
L005	Matsushita	Japan	TLP-112-11	14	0.45		23	power	transistor choke	\$5
L006	Military	USA	T-7831	CH1	14		800	power	rectangular can, flange mount, bottom terminals Q=8	\$10
L007	Military	USA	P-7762353	CH1	0.4		32	power	bottom mount rectangular can with side terminals	\$5
L008	Military	USA	P-7762353	CH1	0.4		32	power	bottom mount rectangular can with side terminals	\$5
L009	Military	USA	A103096	CH1	0.11		5.6	power	Q=15	\$5
L010	Military	USA	A103050	CH1	5.3		215	power	Q=13	\$10
L011	Military	USA	A103034	01				power		\$5
L012	Military	USA	5634	CH1	2.86		318	audio Interstage	tone control or after-clipper. bottom mount round can, top terminals Q-12	\$5
L013	Military	USA	"LC"	CH1	0.0002	15	"0"	power	hash filter unit; small (2x2x1) 5-sided box with choke and a paper cap, to fit over terminal of alternator or dynamotor	\$5
L014	Military	USA	"L6"	14	1.3	0.02	500	audio Interstage	tone control or after-clipper. cylinder bottom mount top terminals	\$5
L015	Military	USA	"L11" 5546	14	0.0001		0.1	power	~1" cylinder bottom mount top terminals	\$5
L016	Military	USA	"L10"	14	4		330	power	2" dia cylinder bottom mount top terminals	\$5
L017	OEM	USA	T13C30	12	10		200	power	receiver or amplifier type	\$15
L018	OEM	USA	RC-1585	14	1.2		270	power		\$5
L019	OEM	USA	C-16-15624	CH2	2.2	0.1	62	power	Q=11	\$5
L020	OEM	USA	C-1003	CH2	24	0.06	560	power	preamp filter	\$10
L021	OEM	USA	95CZ1170 343019	14	3.3		185	power		\$15
L022	OEM	USA	95-1280 43276	CH1	2.6		95	power	EI core	\$5

L023	OEM	USA	942126-1	14	0.75		45	power		\$5
L024	OEM	USA	924176-3 274147	14	10		45	power		\$15
L025	OEM	USA	6650	02	2.7		60	power		\$10
L026	OEM	USA	6315G	14	0.01	5	28	power	hash filter, transistor power	\$5
L027	OEM	USA	161044	14	1.25		820	power	preamp filter	\$5
L028	OEM	USA	161000 001	14	0.008		0.6	power	hash filter, transistor power	\$5
L029	OEM	USA	13W-105	CH1	2.6		135	power	EI frame	\$5
L030	OEM	USA	1002	14	0.0016	0.5	0.2	power	hash filter, transistor power	\$5
L031	OEM	USA	"L4"	14	1.2		75	power	preamp filter	\$10
L032	OEM	USA	"L11"	CH2	0.008	1	2	power	1/8" threaded rod as core	\$5
L033	OEM	USA	"L10"	CH2	12.6		48	power	EI core	\$20
L034	OEM	USA	"B"	14	0.002	0.5	0.2	power	hash filter, transistor power	\$5
L035	OEM	USA	"A"	14	0.0026	0.5	0.2	power	hash filter, transistor power	\$5
L036	Philco	USA	327-7036	CH1	3.5		190	power	EI core Q=8	\$5
L037	Philco	USA	32-7019	02				power	3C486 8C486	\$5
L038	Stancor	USA	C-1001	14	10.5	0.110	225	power	3KV	\$40
L039	Stancor	USA	C 5032 C-5032	CH2	8	0.2	125	power	3KV	\$40
L040	Stancor	USA	79C33-1	15	0.0027		0.4	power	Curtis Mathes 306022	\$5
L041	Thordarson	USA	T20C54	shelf	12 8 4	0.1 0.15 0.2	145	power	2700V swinging http://www.bunkerofdoom.com/xfm/THORDARSON_400K/009.jpg	\$30
L042	Thordarson	USA	5293	06				power	B+ Choke, 1930's with 'gold' dataplate	\$30
L043	Thordarson	USA	26C89	CH2	2.3	0.15	60	power	2500V http://www.bunkerofdoom.com/xfm/THORDARSON_630/06.jpg	\$30
L044	Thordarson	USA	26C84	CH2	9	0.07	270	power	2500V http://www.bunkerofdoom.com/xfm/THORDARSON_630/06.jpg	\$30
L045	Triad	USA	C-56U C-56V	14	0.035	2	0.75	power	8 pcs; E-I core. All missing mounting bracket (holds core together) six complete units, two missing "I" section. All pieces, one price!	\$10
L046	UTC	USA	S29	CH2	5.3		87	power	EI core	\$20
L047	Westinghouse	USA	CAY-30311 L-31763	CH1	0.65		55	power	Q=7	\$5
L048	Westinghouse	USA	406782	CH2	5	0.06	284	power	preamp filter	\$10
L049	UTC	USA	VI-C2	02	0.0065 to 0.025			audio interstage	0.013H +90/-50% adjustable for EQ	\$10

L050	OEM	USA	"LDV"	15				audio interstage	Driver choke for PP 6V6's DCR 2000CT not pretty but OK	\$10
L051	OEM	USA		09	0.00075			audio crossover	old style air core bifilar vintage crossover coil, old with cloth tape with phenolic bobbin ends and bolt through center.	\$5
L052	OEM	USA		09	0.00075			audio crossover	old style air core bifilar vintage crossover coil, old with cloth tape with phenolic bobbin ends and bolt through center.	\$5

Transformers

Version: 2011_1204_1420

<http://www.magnetosphere.net>

NOTE: Item numbers good only for this version of Catalog. May change when new sheet published!

item #	make	origin	model	loc/box	pri.	sec	sec	sec	sec	place	comment	comment	comment	Price
T001	Sola	USA	73-13-075	05	120	117				regulator	Regulated autotransformer to set line voltage 117VAC+/-25V, 1A	two sets of three isolated multi-tapped sec. windings with 1.5, 1-2, 4-4-8 VAC		\$5
T002	Acme	USA	TRANS KS9906	10	115	3.6 V 3A				power	military with hermetic case			\$5
T003	National	USA	SA3074	11						power	for parts only - top cover with "NC" logo, unpainted	xfrmr itelf says 'bad', pls. Request pictures of cover.	for <NC> brand equipment	\$5
T004	OEM	USA	A40552	13	120	2.2 V/1A				power		autotransformer 55:1		\$5
T005	Stancor	USA	P-8358	10	117	12.6 V 3A				power	12.6CT filament/power			\$5
T006	TKK	Japan	TS 1410138-0	08	120	6 V / 200mA				power	TK P010-14 T 091			\$5
T007	Collins	USA	672-0175-00	11	60	400 440				power	60VAC primary, tapped secondary	400V@175mA or 440V@158mA	70VA NOS	\$10
T008	Collins	USA	672-0175-00	11	60	400 440				power	60VAC primary, tapped secondary	400V@175mA or 440V@158mA	70VA NOS	\$10
T009	OEM	USA	25B710921	10	120	8 V 4.5A	8 V 4.5A			power				\$10
T010	Supreme	USA	1264	05	120	62 V tapped for 7.5@2A, 48@2A, 6.3@5A				power	single sec tapped			\$10
T011	OEM	USA	341520	shelf	117	150 CT	3VAC			power	150V sec 2.8 OHM DCR	3V sec. <0.2 OHM DCR for 3DG4 or other rectifier	200-300VA continuous duty	\$15
T012	OEM	USA		09	115	160 V/60mA	tapped at 14 V/900mA			power	LV and bias	143V=230DCR, 14V=1DCR	marked T01	\$15
T013	Thermador	USA	CS-8762-1	10	80 /115	6.3 V 8A				power	filament secondary with 80V tap on primary			\$15
T014	TRANS	USA	D161912	10	115	6.3 CT 1A	6.3 CT 5.5A	2.5 v 10A		power	for something using 2.5V filaments like 866's			\$15
T015	Chicago	USA	320634	03	108 /115 / 121.5	750 CT 0.05A	5V 2A	6.3V 3.5A		power	mil	TF1A03YY CTSC 9094	preamp instrument oscilloscope	\$20
T016	Magnavox	USA	C300071G1	12	120	600 CT 250mA	6.3 V 6A	5 V 3A		power	DCR 64 CT	Power for PP-PAR 6V6		\$20

T017	Military	USA	"#31"	plate shelf	120	1000 CT 33DCR				power	500mA ICAS, PSUD shows 400V@400mA choke input, 600V@350mA cap input, (no writing, has been painted)	24 lbs	CT grounded to rectangular hermetic case Pri. DCR 0.8	\$20
T018	Military	USA	"T6"	10	115	6.3 V 4A	6.3 V 4A	6.3 V 4A	5V 3A	power	150VA			\$20
T019	OEM	USA	"T13"	12	120	800 CT 200MA	6.3 V 6A	5 V 3A		power	DCR 65 CT			\$20
T020	OEM	USA	502747	combo shelf	110 /125 /150 / 200 /225 /245	600 CT 0.15A 200DCR	6.3 6A	5 3A		power	built in switch in bell for pri. Selection	one shell, bottom is open frame		\$20
T021	OEM	USA	95-2343	05	120	150 V/4A	6.3	12.6CT		power	sec DCR 3.2 Ohm	full wave doubler service	343614 200-300VA continuous duty	\$20
T022	OEM			05	120	125 VAC/2.1A	6.3V			power	125V sec. DCR 4.2 Ohms	marked X01		\$20
T023	Stancor	USA	RT-204	shelf	117	11.7 par.or 29.2 ser.				power	4.3-14.5V/8A or 8.8-32.4VDC/4A	taps select volts, with datasheet	continuous duty "rectifier" transformer for L or C input	\$20
T024	Stancor	USA	P-8363	shelf						power				\$25
T025	Freed	USA	14140	combo shelf	120	750 CT 0.2A 100DCR	6.3 10A	5 3A		power		10 lbs		\$30
T026	Jefferson	USA	D-12-1138	03	117.5	600 CT 0.15A	5V 3A	6.3V 5A		power	250VDC @ 150mA 5U4G 4uF input			\$30
T027	OEM	USA	Y211E	05	115	700 CT/200mA	2.5V/10A	2.5V/5A	5V/3A	power	sec DCR 95 Ohms CT	Y211E		\$30
T028	Staco	USA	7471	filament shelf	120	6.3				power	6.3VAC 20A easy	9 lbs	1	\$30
T029	Staco	USA	7471	filament shelf	120	6.3				power	6.3VAC 20A easy	9 lbs	2	\$30
T030	Staco	USA	9024	03	120	6.3 V 10A	6.3V 5A	6.3V 3A		power	T155	open bottom shell		\$30
T031	Staco	USA	7470B	03	120	700 CT 0.3A	5V 10A	5V 5A	5V 5A	power	T152	open bottom shell w/ terminals, thru hole chassis mount	heavy	\$40
T032	Amertrans	USA	CB 36825	plate shelf	115	1560 CT 104DCR				power	plate pri390VA sec550VA RMStest7500	30 lbs	1720V no load, pri 0.5DCR, 700VDC 0.5A large black case with top terminals and ceramic cone ins.	\$45
T033	Staco	USA	9023	plate shelf	115	700 CT 0.4A 15DCR	600 CT 0.15A 52DCR			power	plate unit	18 lbs		\$45
T034	Raypar	USA	VR-10	13	120	120 2.5A				line adj	0+/- 10%	enclosed with switch, outlet, and cord		\$15
T035	Triad	USA	N-68X	13	115 /230	115				isolation	50W	440mA		\$10
T036	Triad	USA	N-68X	13	115 /230	115				isolation	50W	440mA		\$10

T037	OEM			08	8 Ohm	Triac gate				color organ	input 8 Ohm to hi-Z	DCR 3 to 220 Ohm	drives gate of triac	\$5
T038	OEM			06	transistor					audio transistor	transistor transformer			\$5
T039	OEM			06	transistor					audio transistor	transistor transformer			\$5
T040	OEM			06	transistor					audio transistor	transistor transformer			\$5
T041	OEM			06	transistor					audio transistor	transistor transformer			\$5
T042	OEM			08	transistor					audio transistor	transistor radio audio transformer	15 pcs small transistor radio transformers for one price		\$10
T043	Halldorson	USA	HVAT-5	15	line	speaker				audio output	5W line to VC			\$5
T044	Matsushita	USA	TTA-28A36A	15	2500	8				audio output	AA5 OPT			\$5
T045	OEM	Japan	04370	15	3000	4				audio output	AA5 OPT			\$5
T046	OEM	USA	161000 171	15						audio output	AA5 OPT	138252F		\$5
T047	OEM	USA	25B476121A	15						audio output	AA5 OPT			\$5
T050	XC-33024-1F	USA		15	plates	8 16				audio output	PP PAR 6V6 OPT	949614	30W	\$40
T051	UTC	USA	PA-2L6	shelf	9000 CT	1.5 3 5 8 16 200 500				audio output	Like GC-2L6	PP 6L6's 30W	plate_360V G2_270V Rk-270_Ohm	\$50
T052	OEM	USA	32019	chassis	plates screens	speaker				audio ouput ultralinear	On 50W P-P 6L6GC amp chassis	32019 32019-0	has UL taps	\$40
T053	Quality Transformer and Coil Co.	USA	6-W-24 V.G.	04	6600	4 8 16				audio ouput ultralinear	30W with UL G2 taps 6L6 KT66 EL34	Knight Kit 83YZ762		\$40
T054	Merit	USA	A-3037	08	plate	coil				audio ouput	8W autotransformer vertical output 11.4:1	Impedance 520:4 Ohms 1040:8 Ohms 2080:16 Ohms		\$5
T055	NRI	USA		02	transistor	speaker				audio ouput	2W	TV set type		\$5
T056	OEM	USA	3516	06	plate	speaker				audio ouput	SE AA5 OPT			\$5
T057	OEM	USA	923307-4	08	plate	speaker				audio ouput	SE plate to speaker	50C5		\$5
T058	OEM	USA	924918-1	08	plate	speaker				audio ouput	AA5	450506 SC		\$5
T059	OEM	USA	9255-3	02	pp plates	speaker				audio ouput	p-p univ 5W	VAT-5		\$5
T060	OEM	USA	970727-27	06	plate	speaker				audio ouput	SE 6AQ5			\$5
T061	OEM		549-8203 341538	02	2650	3.2				audio ouput	SE OPT	549-8203 341538	tests 115V:4V	\$5
T062	OEM	USA		02	hi-Z	Phones				audio ouput	mil like MC-358D	headset adapter hi to lo Z HS-33, HS-38	1/4" connectors	\$5
T063	OEM		TR94	02	plate	speaker				audio ouput	plate to speaker	TR94		\$5
T064	OEM	USA	C320258-2	02	transistor					audio ouput	C320258-2	DCR 36 to 0.2, 8W		\$5
T065	OEM	USA	430250 E73A10 831930	02						audio ouput	430250 E73A10 831930			\$5
T066	OEM	USA	95-1309 352248	02						audio ouput	8W	95-1309 352248		\$5
T067	OEM	USA	K122J59-4	06	plate	speaker				audio ouput	AA5 OPT	K122J59-4	515612	\$5

T068	OEM	USA		06	transistor	10				audio ouput	autotransformer from 2N176 to speaker, automotive	power putput class A Germanium, automotive type		\$5
T069	Philco	USA	32-8747-2	02	plate	speaker				audio ouput	SE output			\$5
T070	Rola	USA	3792-WF-42	06	hi-Z	Phones				audio ouput	MC-385-A	headset adapter hi to lo Z HS-33, HS-38	1/4" connectors	\$5
T071	Sony	Japan		02	transistor	4				audio ouput	1973 Trinitron OPT			\$5
T072	Thordarson	USA	T-22S45	08	1500 - 3000	3.2 Ohm				audio ouput	3W tube to speaker			\$5
T073	Thordarson	USA	TR-2T	06	160	4/8				audio ouput	6.33:1	transistor		\$5
T074	UTC	USA	MC-385D	02	hi-Z	Phones				audio ouput	mil	headset adapter hi to lo Z HS-33, HS-38	1/4" connectors	\$5
T075	Zenith	USA	ZH335275	02	5000	8				audio ouput	SE 6V6 5W			\$5
T076	Merit	USA	A-2903	02	10000 7000 4500 2000	3.2				audio ouput	4W	SE 30mA universal to speaker		\$10
T077	OEM	USA	452044	10	7500	4				audio ouput	SE 6K6, 6AG7, 6F6, 6V6	EI frame	B-941841	\$10
T078	Stancor	USA	A-3850	02	4000 - 14000	speaker				audio ouput	SE univ out	8W		\$10
T079	Thordarson	USA	T-13S42	01	1500 2000 4000 5000 7000	0.1 - 29				audio ouput	anything up to a 6L6	Universal single tube class A 55mA DC 10W	http://www.bunkerofdoom.com/xfm/THORDARSON_400C/Thordarson400C.pdf	\$15
T080	Thordarson	USA	T-13S42	02	1500 2000 4000 5000 7000	0.1 - 29				audio ouput	anything up to a 6L6	Universal single tube class A 55mA DC 10W	http://www.bunkerofdoom.com/xfm/THORDARSON_400C/Thordarson400C.pdf	\$15
T081	Chicago	USA	A-810	08	500	6 - 8 / 3.2				audio ouput	line to voice coil			\$20
T082	Chicago	USA	SC437A	02	plate	speaker				audio ouput	BC-312	for 6F6 @ 225VDC 3W to speaker	mil C-160	\$30
T083	Stancor	USA	75A18-4	02						audio ouput	3060501			\$30
T084	OEM	USA	26901	09	8000 CT split 2K+2K	8				audio ouput	20-30W split sec.	DCR pri. 230+230	7591, 6V6, 6DZ7, 6N7, 6L6@360V/270V/270 OhmRk, 6AQ5, 12AB5, 6CZ5, 12AX7 pp-par, 2E30..	\$40
T085	OEM	USA	26901	09	8000 CT split 2K+2K	8				audio ouput	20-30W split sec.	DCR pri. 230+230	7591, 6V6, 6DZ7, 6N7, 6L6@360V/270V/270 OhmRk, 6AQ5, 12AB5, 6CZ5, 12AX7 pp-par, 2E30..	\$40
T086	OEM	USA	26901	09	8000 CT split 2K+2K	8				audio ouput	20-30W split sec.	DCR pri. 230+230	7591, 6V6, 6DZ7, 6N7, 6L6@360V/270V/270 OhmRk, 6AQ5, 12AB5, 6CZ5, 12AX7 pp-par, 2E30..	\$40

T087	OEM	USA	26901	09	8000 CT split 2K+2K	8				audio ouput	20-30W split sec.	DCR pri. 230+230	7591, 6V6, 6DZ7, 6N7, 6L6@360V/270V/270 OhmRk, 6AQ5, 12AB5, 6CZ5, 12AX7 pp-par, 2E30..	\$40
T088	UTC	USA	71432	04	plate	500				audio ouput	PP out to 500 Ohms			\$40
T089	UTC	USA	71432	04	plate	500				audio ouput	PP out to 500 Ohms			\$40
T090	Thordarson Collins Radio	USA	T-50071A	shelf	15,000	600 CT				audio ouput	Collins 677-0109- 00 NOS Pre- amplifier output transformer 6AQ6 to line (6AT6 6AV6) Type 6Q-1 preamplifier assy of 212-B console - http://www.collinsradio.org/Manuals/ 212B-2(03- 53)/212B-2(03- 53)Sec6,7.pdf	transformer high fidelity audio; pri: 15,000 Ohms; Sec: 600 Ohms CT; 500 TV insulation; +/- 0.5dB 30-15,000 cps	sealed metal case 1- 13/16" diam x 2-1/2" overall, excluding terminals; four 4-40 thd mtg inserts on 1- 5/16" diam; solder post conectors.	\$220
T091	Thordarson Collins Radio	USA	T-50071A	shelf	15,000	600 CT				audio ouput	Collins 677-0109- 00 NOS Pre- amplifier output transformer 6AQ6 to line (6AT6 6AV6) Type 6Q-1 preamplifier assy of 212-B console - http://www.collinsradio.org/Manuals/ 212B-2(03- 53)/212B-2(03- 53)Sec6,7.pdf	transformer high fidelity audio; pri: 15,000 Ohms; Sec: 600 Ohms CT; 500 TV insulation; +/- 0.5dB 30-15,000 cps	sealed metal case 1- 13/16" diam x 2-1/2" overall, excluding terminals; four 4-40 thd mtg inserts on 1- 5/16" diam; solder post conectors.	\$220
T092	Thordarson Collins Radio	USA	T-50071A	shelf	15,000	600 CT				audio ouput	Collins 677-0109- 00 NOS Pre- amplifier output transformer 6AQ6 to line (6AT6 6AV6) Type 6Q-1 preamplifier assy of 212-B console - http://www.collinsradio.org/Manuals/ 212B-2(03- 53)/212B-2(03- 53)Sec6,7.pdf	transformer high fidelity audio; pri: 15,000 Ohms; Sec: 600 Ohms CT; 500 TV insulation; +/- 0.5dB 30-15,000 cps	sealed metal case 1- 13/16" diam x 2-1/2" overall, excluding terminals; four 4-40 thd mtg inserts on 1- 5/16" diam; solder post conectors.	\$220

T093	Thordarson Collins Radio	USA	T-50071A	shelf	15,000	600 CT				audio ouput	Collins 677-0109-00 NOS Pre-amplifier output transformer 6AQ6 to line (6AT6 6AV6) Type 6Q-1 preamplifier assy of 212-B console - http://www.collinsradio.org/Manuals/212B-2(03-53)/212B-2(03-53)Sec6,7.pdf	transformer high fidelity audio; pri: 15,000 Ohms; Sec: 600 Ohms CT; 500 TV insulation; +/- 0.5dB 30-15,000 cps	sealed metal case 1-13/16" diam x 2-1/2" overall, excluding terminals; four 4-40 thd mtg inserts on 1-5/16" diam; solder post conectors.	\$220
T094	Thordarson Collins Radio	USA	T-50071A	shelf	15,000	600 CT				audio ouput	Collins 677-0109-00 NOS Pre-amplifier output transformer 6AQ6 to line (6AT6 6AV6) Type 6Q-1 preamplifier assy of 212-B console - http://www.collinsradio.org/Manuals/212B-2(03-53)/212B-2(03-53)Sec6,7.pdf	transformer high fidelity audio; pri: 15,000 Ohms; Sec: 600 Ohms CT; 500 TV insulation; +/- 0.5dB 30-15,000 cps	sealed metal case 1-13/16" diam x 2-1/2" overall, excluding terminals; four 4-40 thd mtg inserts on 1-5/16" diam; solder post conectors.	\$220
T095	Thordarson	USA	T-17M59	01	10000 CT	3000 3750 4500				audio modulator	pp 6A6 6N7	for 20-25W input		\$40
T096	Thordarson	USA	T-17M59	04	10000 CT	3000 3750 4500				audio modulator	pp 6A6 6N7	for 20-25W input		\$40
T097	Thordarson	USA	T-19M14	07						audio modulator	30W (audio power) universal type	75mA per side, secondary 75mA series 150mA parallel	http://www.bunkerof doom.com/xfm/THORDARSON_400C/Thordarson400C.pdf	\$40
T098	Stancor	USA	A-3871	15	6L6	RF stage				audio modulator	Class A 6L6 to modulated stage	pri 4500 sec 8500 50mA	new in box with sheet	\$40
T099	OEM	USA	RK-235	06	1000 2000 4000 8000	3.2	8			audio line	5/2.5/1.2/0.6/0.3 W	1K/2K/4K/8K/16K	70V	\$5
T100	OEM	USA	8579	02	line	speaker				audio line	70V line	20W		\$10
T101	OEM	USA	8758A-1	02	line	speaker				audio line	70V line			\$10
T102	UTC	USA	DI-T240	02	500 CT	500 split				audio line	500mW			\$20
T103	UTC	USA	DI-T240	02	500 CT	500 split				audio line	500mW			\$20
T104	Chicago	USA	A-8181	15	500	6 - 8 3.2				audio line	5W line to VC			\$5
T105	Argonne	USA	AR-173	02	5000	3000 CT				audio interstage	transistor driver 100-200mW		NIB	\$5
T106	Argonne	USA	AR-173	02	5000	3000 CT				audio interstage	transistor driver 100-200mW		NIB	\$5
T107	OEM		CR-20	02						audio interstage	transistor SE to SE			\$5
T108	Thordarson	USA	TR-5	06	490	150 CT				audio interstage	transistor	150mW	1.81:1	\$5

T109	OEM	USA	0524	08	5300	300 and 3000				audio interstage	28D7 plate to 300 Ohm and 3100 Ohm	pri 10:4:13	parallel 28D7 sections to phones and line/grid	\$10
T110	OEM	USA	A103106	06	plate	grids				audio interstage	3-5CT DCR 2.8K	1-2 DCR 1K		\$10
T111	OEM			08	plate	transistor base				audio interstage	SE plate of 12V tube to Germanium transistor base	drives output transistor in a mostly-tube car radio		\$10
T112	Hammarlund	USA	T7	01						audio interstage	super pro part "T7" original item - audio driver transformer	578 DCR	640CT DCR	\$20
T113	Peerless	USA	4429	01	10000 8mA	35400 CT				audio interstage	1:1.188	+14dBm	driver interstage	\$20
T114	Stancor	USA	58A2	15	plate	grid				audio interstage	SE interstage			\$20
T115	Merit	USA		02	plate	grids				audio interstage	2.2/1.8/1.7:1 ratios (universal type)	when connected as 2.2:1 is similar to A-3124 -pri. 30mA - triode 6F6, 49, 59, 2A5, 42 to PP 1625's (1958) and 46, 59, 6L6, 807 Class B or AB2		\$30
T116	Thordarson	USA	T20D76	08						audio interstage	6N7/6J5 to PP class B 6N7's	5.2:1		\$30
T117	Geotronic	USA	O-743	02						audio input	extended very low freq response "geoformer"	input transformer with very high inductance for coupling senders to instruments.		\$5
T118	Geotronic	USA	O-743	02						audio input	extended very low freq response "geoformer"	input transformer with very high inductance for coupling senders to instruments.		\$5
T119	Geotronic	USA	O-743	02						audio input	extended very low freq response "geoformer"	input transformer with very high inductance for coupling senders to instruments.		\$5
T120	Motorola	USA	25B81107B	15						audio input	Line in to PP grids	DCR 4000 CT and DCR 7.6		\$5
T121	OEM	USA		02	line	grid				audio input	C-208	looks like small I.F. can. DCR-1KCT:25 line to grid		\$5

T122	OEM	USA		06	dual hi/lo	600 Ohms				audio input	3-post inverse 'tub' mount, 1-2 Hi-Z/1K DCR, 1-5 Lo-Z/500DCR, out is 600 Ohm (Z) to case GND	military		\$5
T123	OEM	USA		08	carbon mic.	grid				audio input	from carbon mike to tube grid			\$5
T124	Philco	USA	47-1230	06	uLow-Z	grid				audio input	u-low Z pickup to grid	3257704 32 8256	ancient in cast iron case, phono plug to Hi-Z, center pin connected but loose, DCR 5.1K, <1 Ohm. Need show pic b4 sale.	\$5
T125	Harmon Kardon	USA	XT-2	15	120 250	50000				audio input	mic input can 9-pin "octal"			\$10
T126	Stancor	USA	A-4744	01	4	25000				audio input	intercom input			\$10
T127	Stancor	USA	A-4744	01	4	25000				audio input	intercom input			\$10
T128	UTC	USA	A-11	15	50 200 500	50000 CT				audio input	input to grids			\$30
T129	UTC	USA	A-11	15	50 200 500	50000 CT				audio input	input to grids			\$30
T130	Military	USA	C-410	08						audio headset in-line	goes inline the cord from hi-Z receiver to lo-Z headset	screw terminals		\$5
T131	Military	USA	C-410	08						audio headset in-line	goes inline the cord from hi-Z receiver to lo-Z headset			\$5
T132	Military	USA	C-410	08						audio headset in-line	goes inline the cord from hi-Z receiver to lo-Z headset			\$5
T133	Military	USA	C-410	08						audio headset in-line	goes inline the cord from hi-Z receiver to lo-Z headset	screw terminals		\$5
T134	RCA	USA	ancient	09	pp plates + single driver	speaker + pp grids	dual unit his masters voice radiola			audio driver + output	output side DCR p-p 560CT/speaker DCR2.6	driver side DCR g-g 16KCT p-b 2.3K type 26 inscribed	case is brown 5.25x3.25x3.5H with tab mounting	\$25
T135	Johnson	USA	P3069	08	plate	grids				audio driver	Viking Valiant original part. Audio driver to AB1 stage	SNC P3069		\$30
T136	Lionel	USA	GH-1203-2-H	08	22000 CT	5200 CT	600 CT			audio	Compact size shielded commercial grade unit	rectangular can about 1x1" square and 2" tall, bottom mounting flanges and terminals	TF1A19	\$5

T137	Lionel	USA	GH-1203-2-H	08	22000 CT	5200 CT	600 CT			audio	Compact size shielded commercial grade unit	rectangular can about 1x1" square and 2" tall, bottom mounting flanges and terminals	TF1A19	\$5
T138	Lionel	USA	GH-1203-2-H	08	22000 CT	5200 CT	600 CT			audio	Compact size shielded commercial grade unit	rectangular can about 1x1" square and 2" tall, bottom mounting flanges and terminals	TF1A19	\$5
T139	Lionel	USA	GH-1203-2-H	08	22000 CT	5200 CT	600 CT			audio	Compact size shielded commercial grade unit	rectangular can about 1x1" square and 2" tall, bottom mounting flanges and terminals	TF1A19	\$5
T140	Military	USA	A103022	15						audio		"522" crew transformer	BC-522?	\$5
T141	Military	USA	P-7762352	07						audio	288:1 mike input to grid	TEST: HI: DCR 6K, 100RMS & LO DCR 19 Ohm, 2.88VRMS	3.5x2.5x3" height	\$5
T142	Military	USA	TF5RX21ZZ	15	540	2200	2200			audio	5KC-25KC	+24dBm	1:2.02:2.02	\$5
T143	UTC	USA	DOT-22	06						audio				\$5
T144	OEM	USA	A-3454	15						audio	vintage 2x3x4"	DCR 444CT and DCR 100	stancor or merit?	\$10
T145	Thordarson	USA	T46004	04						audio				\$25
T146	Stancor	USA	79A18-4	08						audio				\$30
T147	Kenyon	USA	S-3887	01						audio	lab standard type	ancient Kenyon cast housing	bottom mount bottom terminals	\$60
T148	Kenyon	USA	S-3887	01						audio	lab standard type	ancient Kenyon cast housing	bottom mount bottom terminals	\$60
T149	Kenyon	USA	S-3887	01						audio	lab standard type	ancient Kenyon cast housing	bottom mount bottom terminals	\$60
T150	Kenyon	USA	S-10468	01						audio	lab standard type	ancient Kenyon cast housing	bottom mount bottom terminals	\$60